



# Collage

Tempera – Pencil – Ink







Unleash your promotional products



## Collage

PRODUCT OVERVIEW



This information is confidential and was prepared by Epta solely for our internal use. It is not to be relied on by any third party without Epta prior written consent. Marketing 09/2020



Unleash your promotional products



This information is confidential and was prepared by Epta solely for our internal use. It is not to be relied on by any third party without Epta prior written consent. Marketing 09/2020

# Collage

PRODUCT OVERVIEW





**Collage** new range is the evolution of the Energia Green range for promotional cabinets. It is mainly used in Supermarkets and Hypermarkets to display offers and discounted products, but also in proximity stores and patrol stations where space is limited and Retailers need to optimize the productivity per square meter. Renewed range in terms of performance, aesthetics, display area, available lengths, internal volume and connectivity.

Performance 3M1 for Open cabinets and 3M0 for Closed cabinets

More modern design with new front grid and new end serigraphy pattern

Increased Display Area for a better visibility

New available L2500 for Open and Closed Efficia cabinets

Increased internal Volume to maximize number of products displayed

Basement height reduction to increase facing area

Black is the new standard color for internal/external metal sheets

Maintenance free condenser (for Closed cabinets and SV)

Panoramic triple glass ends

Canopy lighting as standard and shelves lighting on demand

Visible controller and easily accessible to modify set-up

Connectivity with LINEON on demand



This information is confidential and was prepared by Epta solely for our internal use. It is not to be relied on by any third party without Epta prior written consent. Marketing 09/2020

## Collage

PRODUCT OVERVIEW

# Overview

# Comparison with the previous range

- TDA increased up to +20%
- Internal Volume increase up to +12%
- 5 shelves of the same (maximized) depth on verticals
- Basement height reduction -110mm
- Facing increase up to +11%
- Class E for Open (as average), Class B for Closed
- Closed in 3M0 (old model in 3M1) | Open in 3M1 (old model in 3M2)
- New L2500 for Pencil Efficia and new L2500 for Tempera Efficia
- Phase-out of L700 for all models
- Non-multiplexable with the old model
- Black is the new standard color for internal/external metal sheets (serigraphy ends/doors is RAL7024)
- New basement grid, new serigraphy pattern on the panoramic ends, new simple canopy
- Maintenance free condenser for Closed cabinets and Semi-verticals
- Standard LEDs on the canopy and option for LEDs under the shelves (no more LEDs on mullions)
- Triple glass panoramic ends to reach higher insulation and better performance
- Visible controller, easily accessible to change set-up
- Option to have embedded LINEON



This information is confidential and was prepared by Epta solely for our internal use. It is not to be relied on by any third party without Epta prior written consent. Marketing 09/2020

## Collage

PRODUCT OVERVIEW







- Sharp and minimal straight lines
- "Bar code" basement grid pattern
- "Bar code" serigraphy pattern on ends
- Canopy customizable for advertisements
- Low fascia customizable without bumper or optional stainless-steel bumper





This information is confidential and was prepared by Epta solely for our internal use. It is not to be relied on by any third party without Epta prior written consent. Marketing 09/2020

MODEL	CLOSED or OPEN		DEPTH		HEIGHT		LENGHT				
	Closed	Open	Efficia	Modular	Vertical	Semi-vertical	700	937	1250	1875	2500
TEMPERA	●			●	●			2D	2D	3D	4D
	●		●		●			2D	2D	3D	NEW
PENCIL		●		●	●			●	●	●	●
		●	●		●		n.a.	●	●	●	NEW
INK		●	●			●	n.a.	●	●		

NEW: Tempera Efficia L2500 and Pencil Efficia L2500.

Length 700 no more available.

## Collage

PRODUCT OVERVIEW





[www.bonnetneve.com](http://www.bonnetneve.com)



Bonnet  
Névé



Epta S.p.A. participates in the ECC programme for:  
Refrigerated display cabinets (RDC); Check ongoing validity  
of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com)