THE REVOLUTION IN THE FRESH SELF-SERVICE FOOD AREA!





Dualio Closed

Modular and Efficia



Overview

Product at a glance

DUALIO M and E of Mozaïk family increases its value in terms of performance and energy efficiency with the CLOSED version.

Equipped with straight sliding covers, with a light frame and ergonomic handles, **Dualio Closed reaches 50% energy** saving, preserving the merchandising peculiarity of the open range thanks to the high transparency of the tempered and high reflection glasses which enhance the food displayed.

Hence reaching the best level of performance in terms of food preservation and energy labelling. All these aspects make Dualio Closed unique in the fresh food area, combining elegance and aesthetics with high efficiency, thus improving the shopping experience.







CK TO SUMMARY





Dualio Closed



Overview

Highlights

Bonnet Névé

BACK TO SUMMARY

SO MANY REASONS TO BUY Dualio Closed

Total food visibility helping to boost your sales

Excellence of Epta glass transparency

Aesthetics



Performance

High reliability straight sliding glasses

Energy saving about 50% compared to open cabinet

Easy cleaning reducing the working load of your staff



Dualio Closed
PRODUCT OVERVIEW



DUALIO M CLOSED Remote is available in:

• **Self-service** version

• Sliding straight single glass: 625mm modules

• Dark grey Ral 7015: glass lids profiles, handles, handrail and endwall DUALIO screen printing

• Loading line: 235mm • 1 Depth: MODULAR (m)

• **Total depth:** - 1890mm (without bumper rail)

- 1950mm (with bumper rail)

• Useful depth: - 830mm display shelf (each side) on linear cabinet

- 850mm display shelf on end of island

• 4 Lengths: 1250 - 1875 - 2500 - 3750mm - end of island

• Aesthetics: Design - Design Evolution

• Lighting: LED 3000K, 4000K and Natura integrated in the handrail and in the rear profile

- Basement lighting: LED 4000K and 3000K under decorative panels
- Controllers: Danfoss, Carel, Eliwell, Dixell, Wurm
- Fluids: CO₂(R744), R134a, R448A, R449A, R452A, R407A, R407C, R407F, R410A, Glycol



BACK TO SUMMARY





Dualio Closed



DUALIO E CLOSED Remote is available in:

• **Self-service** version

• Sliding straight single glass: 625mm modules

• Dark grey Ral 7015: glass lids profiles, handles, handrail

and endwall DUALIO screen printing

• Loading line: 235mm • 1 Depth: EFFICIA (E)

• **Total depth:** - 1650mm (without bumper rail)

- 1710mm (with bumper rail)

• Useful depth: - 700mm display shelf (each side) on linear cabinet

- 750mm display shelf on end of island

• 4 Lengths: 1250 - 1875 - 2500 - 3750mm - end of island

• Aesthetics: Design - Design Evolution

• Lighting: LED 3000K, 4000K and Natura integrated in the handrail and in the rear profile

- Basement lighting: LED 4000K and 3000K under decorative panels
- Controllers: Danfoss, Carel, Eliwell, Dixell, Wurm
- Fluids: CO₂(R744), R134a, R448A, R449A, R452A, R407A, R407C, R407F, R410A, Glycol



3ACK TO SUMMARY





Dualio Closed



DUALIO M MAX CLOSED Remote is available in:

• Self-service version

• Sliding straight single glass: 625mm modules

• Dark grey Ral 7015: glass lids profiles, handles, handrail and endwall DUALIO screen printing

• Loading line: 365mm • 1 Depth: MODULAR (M)

• Total depth: - 1890mm (without bumper rail)

- 1950mm (with bumper rail)

• Useful depth: - 830mm display shelf (each side) on linear cabinet

- 850mm display shelf on end of island

• 4 Lengths: 1250 - 1875 - 2500 - 3750mm - end of island

• Aesthetics: Design - Design Evolution

• Lighting: LED 3000K, 4000K and natura integrated in the handrail and in the rear profile

• Basement lighting: LED 4000K and 3000K under decorative panels

• Controllers: Danfoss, Carel, Eliwell, Dixell, Wurm

• Fluids: CO₂(R744), R134a, R448A, P449A, R452A, R407A, R407C, R407F, R410A, Glycol



3ACK TO SUMMARY





Dualio Closed



DUALIO E MAX CLOSED Remote is available in:

- Self-service version
- Sliding straight single glass: 625mm modules
- Dark grey Ral 7015: glass lids profiles, handles, handrail and endwall DUALIO screen printing
- Loading line: 365mm • 1 Depth: EFFICIA (E)
- Total depth: 1650mm (without bumper rail)
 - 1710mm (with bumper rail)
- Useful depth: 700mm display shelf (each side) on linear cabinet
 - 750mm display shelf on end of island
- 4 Lengths: 1250 1875 2500 3750mm end of island
- Aesthetics: Design Design Evolution
- Lighting: LED 3000K, 4000K and natura integrated in the handrail and in the rear profile
- Basement lighting: LED 4000K and 3000K under decorative panels
- Controllers: Danfoss, Carel, Eliwell, Dixell, Wurm
- Fluids: CO₂(R744), R134a, R448A, P449A, R452A, R407A, R407C, R407F, R410A, Glycol



3ACK TO SUMMARY





Dualio Closed





www.bonnetneve.com







Epta S.p.A. participates in the ECC programme for: Refrigerated display cabinets (RDC); Check ongoing validity of certificate online: www.eurovent-certification.com