



Product categories



Frozen Food
and Ice cream

Technical features



Ventilated



Remote
condensing unit



LED lighting



High efficiency
fans



Electric defrost



ENERGY CLASS*

Certification and patents




Epta S.p.A. participates in the EEC programme for:
Refrigerated display cabinets (RDC). Check ongoing validity
of certificate online: www.eurovent-certification.com

Product range

SKYEXPO V				
Length -Lunghezza Longueur-Länge-Longitud mm	1885	2500	3750	EOL 2030
SKYEXPO V	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficieexpositiva m2	4.324	5.806	8.709	2.57
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	3.78	5.05	7.57	2.82
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	1374.35	1824.64	2741.36	658.41
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	Spalla panoramica/Panoramic end/Joue panoramique/ Verglaste Seitenwand/ Lateral panorámico: 70.00 (+104) Spalla cieca/Blind end/Joue et pleine/ Und geschlossene Seitenwand/Lateral pa- norámico y ciego: 51.00 (+104)			


Cross sections

LINEAR PUSH




Cross Sections

EOL



LINEAR ERGO VERSION



Cross Sections

EOL ERGO VERSION

