



## Product categories




Frozen Food  
and Ice cream

## Technical features



Ventilated



Remote  
condensing unit



LED lighting



High efficiency  
fans



Electric defrost



ENERGY CLASS\*

## Certification and patents




Epta S.p.A. participates in the ECC programme for:  
Refrigerated display cabinets (RDC). Check ongoing validity  
of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com)

## Product range

| SKYSET PUSH                                                                                                                        |                                                                                                                                                                                  |             |             |                     |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|---------------------|
| <b>Length</b> -Lunghezza<br>Longueur-L nge-Longitud<br>mm                                                                          | <b>1885</b>                                                                                                                                                                      | <b>2500</b> | <b>3750</b> | <b>EOL<br/>2245</b> |
| <b>SKYSET PUSH</b>                                                                                                                 | •                                                                                                                                                                                | •           | •           | •                   |
| <b>Display area</b> Superficie<br>di esposizione<br>Warenpr sentationsfl che<br>Surface d'exposition<br>Superficieexpositiva<br>m2 | 2.45                                                                                                                                                                             | 3.25        | 4.87        | 2.79                |
| <b>Loading area</b><br>Superficie di appoggio<br>Nutzfl che<br>Surface de chargement<br>Superficie de apoyo<br>m2                  | 2.02                                                                                                                                                                             | 2.68        | 4.03        | 2.41                |
| <b>Net storage capacity</b><br>Capacit  netta<br>Nutzinhalt<br>volume utile<br>Capacitat neta<br>dm3                               | 708.00                                                                                                                                                                           | 939,97      | 1412,22     | 734,3               |
| <b>End thickness</b><br>Spessore spalla<br>St rke der Seitenwand<br> paisseur de cheue joue<br>Espesor lateral<br>mm               | Spalla panoramica/Panoramic end/Joue<br>panoramique/ Verglaste Seitenwand/ Lateral<br>panor mico: 70.00<br>(+104 batticarrello/bumper rail/pare-chocs/<br>Sto stange/parachoque) |             |             |                     |


## Cross sections

### LINEAR




## Cross Sections

### EOL



### ERGO VERSION LINEAR



## Cross Sections

### ERGO VERSION EOL

