



Product categories



Chicken



Delicatessen



Cheese



Dairy products



Pre-packed
fruit&veg



Fruit and
Vegetables



Sandwiches




Pre-packed fish

Technical features



Ventilated



Remote
condensing unit



LED lighting



High efficiency
fans



Electric defrost



Off-cycle
defrost

Certification and patents




Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC). Check ongoing validity
of certificate online: www.eurovent-certification.com

Product range


SKYSPACE TILDED DOORS									
Lenght -Lunghezza Longueur-Länge-Longitud mm	1250	1875	2500	3750	EOL 1510	EOL 1810	EOL 1960	EOL 220	EOL 258
Height -Altezza-Hauteur-Höhe-Altura mm	H15	H15	H15	H15	H15	H15	H15	H15	H15
SKYSPACE TILDED DOORS	Efficia	•	•	•	•	•			
	Modular	•	•	•	•		•	•	
	Volum	•	•	•				•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Efficia	1,35	2,00	2,70	4,05	2,34			
	Modular	1,35	2,00	2,70	4,05		2,81	2,97	
	Volum	1,35	2,00	2,70				3,39	3,81
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Efficia	0,92	1,35	1,85	2,75	1,17			
	Modular	1,10	1,65	2,2	3,3		1,68	1,77	
	Volum	1,31	1,97	2,62				2.31	2,70
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	21.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/ Parachoques)				42.00 (+ 35 Batticarrello Bumper Rail/Pare-choc Wagenstoßleiste Parachoques)				

SKYSPACE SLIDING DOORS									
Lenght -Lunghezza Longueur-Länge-Longitud mm		1250		1875		2500		3750	
Height -Altezza-Hauteur-Höhe-Altura mm		H15	H17	H15	H17	H15	H17	H15	H17
SKYSPACE SLIDING DOORS	Modular	•	•	•	•	•	•	•	•
	Volum		•		•		•		•
Dispal area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Modular	1,30	1,80	1,93	2,66	2,61	3,59	3,91	5,39
	Volum		1,92		2,84		3,83		5,75
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Modular	1.10		1,65		2,2		3,3	
	Volum	1.31		1,97		2,62		3,93	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	21.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques)								


Cross sections




EFFICIA - H15 TILTED DOORS




MODULAR - H15 TILTED DOORS




MODULAR- H15 SLIDING



MODULAR- H17 SLIDING DOORS



VOLUM- H17 SLIDING DOORS



VOLUM- H15 TILTED DOORS