DUALIO SV CLOSED

Mozaïk / Multideck

Serve-over

BEST ENERGY CLASS*



Product Categories

- Cheese
- Dairy products
- Delicatessen
- Drinks
- Fruit and Vegetables
- Meat
- Pre-packed fish
- Pre-packed fruit and vegetables
- Sandwiches
- Chicken

Technical Features

- High efficiency fans
- LED lighting
- Natural Defrost Plus
- Off-cycle defrost
- Remote condensing unit
- Ventilated

DUALIO SV CLOSED

Mozaïk / Multideck
Serve-over

Certification and Patents



Eurovent

Product Range


DUALIO SV CLOSED						
Lenght-Lunghezza Longueur-Länge-Longitud mm		**1250**	**1875**	**2500**	**3750**	**EOL 1650**
1 SHELF		•	•	•	•	•
2 SHELVES		•	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**1 S**	2.24	3.35	4.49	6.73	1.79
	2 S	2.24	3.35	4.49	6.73	1.80
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2		2.06	3.09	4.12	6.18	1.6
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		50.00				

DUALIO SV CLOSED


Mozaïk / Multideck

Serve-over


Cross Sections




Silk Closed 1S310 linear




Silk Closed 1S310 EOL




Silk Closed 1S410 linear



Silk Closed 1S410 EOL



Silk Closed 2S linear



Silk Closed 2S EOL

DUALIO SV CLOSED

Mozaïk / Multideck

Serve-over

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.