MULTIFREEZE PERFORM

MultiCity / Multideck
Integral

BEST ENERGY CLASS*



Product Categories

Frozen Food and Ice cream

Technical Features

Free maintenance condenser

High efficiency fans

Incorporated condensing unit

LED lighting

Off-cycle defrost

Propane refrigerant gas (R290)

Ventilated

MULTIFREEZE PERFORM

MultiCity / Multideck
Integral

Certification and Patents



Eurovent


Product Range

MULTIFREEZE PERFORM					
Lenght-Lunghezza Longueur-Länge-Longitud mm			**1340 - 2D**	**2005 - 3D**	**2680 - 4D**
MULTIFREEZE PERFORM			•	•	•
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**EFFICIA**	**BLIND**	1.931	2.896	3.861
		PANORAMIC	3.194	4.159	5.134
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**EFFICIA**		0.96	1.44	1.86
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**EFFICIA**		900	1350	1800
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			62.00		

MULTIFREEZE PERFORM

MultiCity / Multideck
Integral

Cross Sections



COMPACT

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.