MULTIFRESH PERFORM

MultiCity / Multideck
Integral

BEST ENERGY CLASS*



Product Categories

Cheese
Dairy products
Delicatessen
Drinks
Meat
Pre-packed fish
Pre-packed fruit and vegetables
Sandwiches
Chicken

Technical Features

Free maintenance condenser
High efficiency fans
Incorporated condensing unit
LED lighting
Off-cycle defrost
Propane refrigerant gas (R290)
Ventilated

MULTIFRESH PERFORM

MultiCity / Multideck
Integral

Certification and Patents

Air-Conditioning, Heating, and Refrigeration Institute


Product Range

MULTIFRESH PERFORM					
Lenght-Lunghezza Longueur-Länge-Longitud mm			**1250 - 2D**	**1875 - 3D**	**2500 - 4D**
MULTIFRESH PERFORM			•	•	•
		ENDS			
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**EFFICIA**	**BLIND/NO**	1.788	2.682	3.576
		PANORAMIC	3.235	4.129	5.023
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**EFFICIA**		0.96	1.44	1.86
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**EFFICIA**		790	1180	1570
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			30.00		

MULTIFRESH PERFORM

MultiCity / Multideck
Integral

Cross Sections



TANGO NEXT COMPACT

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.