

MULTIFRESH PLUS


MultiCity / Multideck
Integral




BEST ENERGY CLASS*



Product Categories



Cheese




Dairy
products



Drinks



Meat



Pre-packed
fish



Pre-packed
fruit and
vegetables



Sandwiches




Chicken

Technical Features



Free
maintenance
condenser



Incorporated
condensing
unit



LED lighting



Off-cycle
defrost



Propane
refrigerant
gas (R290)



Ventilated

Follow us on: by Epta

www.bonnetneve.com

MULTIFRESH PLUS

MultiCity / Multideck
Integral



Certification and Patents



Eurovent

Product Range


MULTIFRESH PLUS				
Lenght -Lunghezza Longueur-Länge-Longitud mm		1250 - 2D	1875 - 3D	2500 - 4D
MULTIFRESH PLUS		•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	EFFICIA	1.788	2.682	3.576
	MODULAR			
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	EFFICIA	0.96	1.44	1.86
	MODULAR	1.13	1.66	2.19
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	EFFICIA	790	1180	1570
	MODULAR	970	1460	1950
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	40.00			

MULTIFRESH PLUS


MultiCity / Multideck
Integral



Cross Sections



TANGO NEXT COMPACT



TANGO NEXT NARROW

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.