

Shape E Style



Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC). Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com




Shape E Style


Shape E Style										
Length mm		937	1250	1875	2500	3125	3750	AO 90°	AO 45°	AF 45°
Shape E Style	DD	•	•	•	•	•	•			
	LD	•	•	•	•		•	•	•	
	ODF	•	•	•	•		•		•	•
	DDP	•	•	•	•		•	•	•	•
	DC	•	•	•	•	•	•	•	•	•
	LS	•	•	•	•	•	•	•	•	•

Shape E Style


LD




DD



DDP




ODF




Shape E Style


DC




LS-C



LS-D




LS-P




Shape E Style


LD FEET




DD FEET



DDP FEET




WO FEET




Shape E Style


DC FEET




LS-D FEET



LS-A FEET



LS-C FEET



Legend

	Meat		Chicken		Fish		Pre-packed fish
	Delicatessen		Cheese		Dairy products		Gastronomy
	Pastries		Pre-packed fish		Fruits and Vegetables		Sandwiches
	Drinks		Pizza		Bread		Frozen food and ice cream
	Off-cycle defrost		Electric defrost		Hot-gas defrosting system		Manual defrost
	Ventilated		Static		Incorporated condensing unit		Remote condensing unit
	Bagnomaria		Ceramic glass		Ice		Inverter technology
	LED lighting		Zero C doors		High efficiency fans		Propane refrigerant gas (R290)
	R-134a - 400V/3PH/50Hz		R404A - 400V/3PH/50HZ		R744 - 400V/PH/50Hz		Semi-hermetic reciprocating compressor
	Hermetic scroll compressor		Compressor hermetic reciprocating		External installation		Machinery room
	Soundproof housing		On board condenser		Remote condenser		Medium & Low temperature