SHAPE SV CLOSED

Mozaïk / Multideck

Serve-over

BEST ENERGY CLASS*



Product Categories

Cheese

Dairy products

Delicatessen

Drinks

Fruit and Vegetables

Meat

Pastries

Pre-packed fish

Pre-packed fruit and vegetables

Sandwiches

Chicken

SHAPE SV CLOSED

Mozaïk / Multideck
Serve-over

Technical Features



High efficiency fans | LED lighting | Natural Defrost Plus | Remote condensing unit | Ventilated

Certification and Patents



Eurovent

Product Range

SHAPE SV CLOSED

Mozaïk / Multideck

Serve-over


SHAPE SV CLOSED						
Lenght-Lunghezza Longueur-Länge-Longitud		mm	**1250**	**1875**	**2500**	**3750**
SHAPE SV CLOSED	**DESIGN**	H1300	•	•	•	•
		H1500	•	•	•	•
	STUDIO	H1300	•	•	•	•
		H1500	•	•	•	•
	STYLE	H1300	•	•	•	•
		H1500	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsentations-fläche Surface d'exposition Superficie expositiva m2	**Modular**	H1300	1.16	1.74	2.32	3.48
		H1500	1.44	2.16	2.88	4.32
Loading area Superficie di appog-gio Nutzfläche Surface de charge-ment Superficie de apoyo m2	**Modular**		1.35	2.02	2.70	4.05
End thickness Spessore spalla Stärke der Sei-tenwand Épaisseur de cheque joue Espesor lateral mm	55.00 Style-Studio / 35.00 Design					

SHAPE SV CLOSED


Mozaïk / Multideck

Serve-over


Cross Sections




h13 studio




h15 studio




h13 style



h15 style



h13 style legs




h15 style legs


SHAPE SV CLOSED

Mozaïk / Multideck

Serve-over



h13 design



h15 design

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.