



SHAPE
studio




Epta S.p.A. participates in the ECC programme for Refrigerated display cabinets (RDC). Check ongoing validity of certificate online: www.eurovent-certification.com or using: www.certiflash.com




Shape SV			
Length mm		1300	1500
Shape SV	1250	•	•
	1875	•	•
	2500	•	•
	3750	•	•


1300 LS-P DESIGN




1300 LS-D DESIGN




1500 LS-P W450 DESIGN




1500 LS-P W240 DESIGN




1500 LS-D W240 DESIGN




1300 LS-P STUDIO




1300 LS-D STUDIO




1500 LS-P W450 STUDIO




1500 LS-D W450 STUDIO




1500 LS-P W240 STUDIO




1500 LS-D W240 STUDIO




1300 LS-P STYLE




1300 LS-D STYLE




1500 LS-P W450 STYLE




1500 LS-D W450 STYLE




1500 LS-P W240 STYLE




1500 LS-D W240 STYLE




1300 LS-P STYLE FEET




1300 LS-D STYLE FEET




1500 LS-P W450 STYLE FEET



1500 LS-D W450 STYLE FEET



1500 LS-P W240 STYLE FEET



Legend

	Meat		Chicken		Fish		Pre-packed fish
	Delicatessen		Cheese		Dairy products		Gastronomy
	Pastries		Pre-packed fish		Fruits and Vegetables		Sandwiches
	Drinks		Pizza		Bread		Frozen food and ice cream
	Off-cycle defrost		Electric defrost		Hot-gas defrosting system		Manual defrost
	Ventilated		Static		Incorporated condensing unit		Remote condensing unit
	Bagnomaria		Ceramic glass		Ice		Inverter technology
	LED lighting		Zero C doors		High efficiency fans		Propane refrigerant gas (R290)
	R-134a - 400V/3PH/50Hz		R404A - 400V/3PH/50HZ		R744 - 400V/PH/50Hz		Semi-hermetic reciprocating compressor
	Hermetic scroll compressor		Compressor hermetic reciprocating		External installation		Machinery room
	Soundproof housing		On board condenser		Remote condenser		Medium & Low temperature