SKYLIGHT INTEGRAL PERFORM

SkyEffect / Multideck
Integral - Negative Horizontal, Vertical and Semivertical

BEST ENERGY CLASS*



Product Categories

Frozen Food and Ice cream

SKYLIGHT INTEGRAL PERFORM

SkyEffect / Multideck
Integral - Negative Horizontal, Vertical and Semivertical

Technical Features


Electric defrost


High efficiency fans


Incorporated condensing unit


LED lighting



Propane refrigerant gas (R290)


Ventilated

Certification and Patents



Eurovent



Certificazione Eurovent

Product Range

SKYLIGHT INTEGRAL PERFORM

SkyEffect / Multideck

Integral - Negative Horizontal, Vertical and Semivertical


SKYLIGHT INTEGRAL PERFORM							
Lenght-Lunghezza Longueur-Länge-Longitud mm			**2D 1565**	**3D 2343**	**4D 3124**	**5D 3905**	**3D S EOL 2025**
SKYLIGHT INTEGRAL PERFORM	**2110**	**E**	•	•			
		M	•	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsentations-fläche Surface d'exposition Superficie expositiva m2	**2110**	**E**	2.31	3.47			
		M	2.52	3.78	5.04	6.30	4.43
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**2110**	**E**	1.18	1.75			
		M	1.40	2.10	2.80	3.51	1.85
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**2110**	**E**	1218.40	1827.50			
		M	1608.86	2413.29	3217.72	4022.15	1981
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			52.00				

SKYLIGHT INTEGRAL PERFORM


SkyEffect / Multideck

Integral - Negative Horizontal, Vertical and Semivertical

Cross Sections



COMPACT



NARROW

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.