

SKYLOOK



SkyEffect / Multideck


Chilled Vertical and Semivertical




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy products



Delicatessen




Drinks



Fruit and Vegetables



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

Technical Features



Electric defrost




High efficiency fans



LED lighting



Off-cycle defrost



Remote condensing unit




Ventilated

Follow us on: by Epta

www.bonnetneve.com

Certification and Patents








Eurovent

Product Range


SKYLOOK																									
Length-Lunghezza Longueur-Länge-Longitud mm		1250			1875			2500			3750			EOL 1510			EOL 1810			EOL 1960			EOL 220		
Height-Altezza-Hauteur-Höhe-Altura mm		H13	H15	H17	H13	H15	H17	H13	H15	H17	H13	H15	H17	H13	H15	H17	H13	H15	H17	H13	H15	H17	H13	H15	H17
SKYLOOK	Efficia	•	•		•	•		•	•		•	•		•	•										
	Modular	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•		•			•	•
	Volum		•	•		•	•		•	•		•	•											•	•
Dispaly area Superficie di esposizione Warenpräsentations- fläche Surface d'exposition Superficie expositiva m2	Efficia	1.26	1.48		1.89	2.22		2.52	2.96		3.78	4.4		2.01	2.36										
	Modular	1.45	1.67	1.98	2.17	2.50	2.97	2.90	3.34	3.96	4.35	5.00	5.94				2.68	3.14	3.78		3.34			3.66	4.39
	Volum		1.67	1.98		2.50	2.97		3.34	3.96		5.00	5,94											3.91	4.72
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Efficia	0.92			1.35			1.85			2.75			1.17											
	Modular	1.10			1.65			2.20			3.30						1.68			1.82			2.04		
	Volum	1.30			1.95			2.60			3.90												2.37		
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	28.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques)													42.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste Parachoques)											

Cross Sections






GRANSIBARI C H13



GRANSIBARI N H15



GRANSIBARI C H15

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.